



**NOTICE TO CONTRACTORS
HIGHWAY CONSTRUCTION
REGIONAL BID OPENINGS**

June 7, 2010

All bid proposals shall be accompanied by a bid proposal deposit in cash, certified check, cashier's check or surety bond in an amount equal to five percent (5%) of the amount of such bid proposal. Should the successful bidder fail to enter into a contract and furnish a satisfactory performance bond, the bid proposal deposit shall be forfeited. **Bonds submitted on other than the bond form provided by the department may be subject to rejection.**

It is the Washington State Department of Transportation's (WSDOT) policy to assure that no person shall, on the grounds of race, color, national origin and sex, as provided by Title VI of the Civil Rights Act of 1964, be excluded from participation in, be denied the benefits of, or be otherwise discriminated against under any of its federally funded programs and activities. Any person who believes his/her Title VI protection has been violated, may file a complaint with WSDOT's Office of Equal Opportunity (OEO). For Title VI complaint forms and advice, please contact OEO's Title VI Coordinator at (360) 705-7098.

WSDOT hereby gives public notice that it is the policy of the department to assure full compliance with Title VI of the Civil Rights Act of 1964, the Civil Rights Restoration Act of 1987, and related statutes and regulations in all programs and activities. Persons wishing information may call the Washington State Department of Transportation, Office of Equal Opportunity at (360) 705-7098.

The right is reserved to reject any and all bids and to waive informalities in the bidding.

Bidding proposal may not be issued to bidders unless they are prequalified, except where otherwise provided in Plans and Specifications. For those contractors who are not prequalified, application for prequalification will be submitted on DOT Form 420-010 (Standard Questionnaire and Financial Statement) and must be received by the Prequalification Engineer no less than fifteen days prior to the scheduled bid opening to receive consideration for issuance of a bidding proposal for that bid opening.

Informational copies of plans and specifications are on file in the office of the County Engineer of the County in which the work is situated, the chapter offices of the Associated General Contractors of America in Seattle, Spokane, and Tacoma, and the offices of the Regional Administrators or Headquarters of the Department of Transportation, where they may be inspected.

FEE

Project Documents will be furnished for the non-refundable fee of: \$ 25.00 **Plus Sales Tax**
(Remittance may be made to the Washington State Treasurer and sent to the address below).

TO ORDER PLANS AND SPECIFICATIONS PLEASE CALL (360) 705-7835 (from 8:00 am to 5:00 pm) or (360) 705-7014 (24-Hour Recording). To order by mail, the address is: Contract Ad & Award Administration Office, Washington State Department of Transportation, P.O. Box 47360, Olympia, WA 98504-7360. Current Bid Results are available through the Internet address below.

Electronic Project Plans, Specifications, Geotechnical Reports, Addenda, Planholders Lists, Award/Bid Status, and Bid Tabulations are available on the Internet at:

<http://www.wsdot.wa.gov/biz/contaa>

ESTIMATE RANGES PUBLISHED IN THIS NOTICE MUST NOT BE USED AS A BASIS FOR BID PREPARATION.

Americans with Disabilities Act (ADA) Information

If you would like copies of this document in an alternative format -- large print, Braille, cassette tape, or on computer disk, please call Washington State Telecommunications Relay Service TT 1-800-833-6388, Tele-Braille 1-800-833-6385, Voice 1-800-833-6384, and ask to be connected to (360) 705-7097.

NORTH CENTRAL REGION

Sealed bids will be received in person or by courier by the Department of Transportation, at the North Central Regional Office, 1551 N. Wenatchee Ave., Wenatchee, Washington 98801 until 11:00a.m., on the date shown below.

BID OPENING THURSDAY, JUNE 17, 2010

- *1. (CHELAN) **NORTH OF WENATCHEE WILDLIFE FENCE – 2010 ADDITION** (CL 20 or 24, \$400,000 - \$500,000) F.A. No. STPF-0097(151) on US 97A, MP 206.40 to MP 207.95. Requires: Special seeding, wildlife fence, rock drilling, cattle panel and guard, grounding rod, wire gates, one-way push gate, wildlife fence repair, waterline relocation, traffic control and other work. 25 Working days. Involves 22 items. 5800 LF wildlife fence, 11 EA grounding rod, 4 EA cattle guard. Lump Sum bids for: Temp traffic control, SPCC plan. (XL-3287)(209790H)(10B017)(7960)(3 of 3)
- *2. (DOUGLAS) **EAST WENATCHEE TO ROCK ISLAND PAVING** (CL 4, \$2,000,000 - \$2,500,000)
*** **CONTAINS CONDITION OF AWARD DBE GOAL: 9%. F.A. No. NH-0028(044) on SR 28, MP 1.10 to MP 10.17. CONTAINS APPRENTICE UTILIZATION REQ: 15%** Requires: Pavement repair excavation, embankment compaction, drainage, crushed surfacing base course, shoulder finishing, planing bituminous pavement, erosion control, seeding, mulching, compost, high visibility fence, guardrail, flexible guidepost, pavement markings, centerline rumble strip, recessed pavement marker, permanent signing, illumination system, mailbox support, traffic control and other work. 40 Working days. Involves 58 items. 3500 CY rdwy excav incl haul, 19304 SY pvmt repair excav incl haul, 71 LF corrugated polyethylene culv pipe, 750 T crushed surface base course, 29 T asph, 20004 T HMA CL 1/2 IN PG 64-28, 1240 LF high visibility fence, 2538 LF raise exist beam guardrail, 156619 LF paint line, 116794 LF temp pvmt marking, 963 SF const signs CL A, 1100 SF shoring or extra excav CL B. Lump Sum Bids for: Perm signing, illum sys, temp traffic control, SPCC plan. (XL-3340)(202801H)(10B018)(7958)(3 of 3)(1)

BID OPENING THURSDAY, JUNE 24, 2010

- *1. (KITITITAS) **BLEWETT PASS PASSING LANE** (CL 1 or 4, \$1,000,000 - \$1,250,000) **CONTAINS VOLUNTARY MWBE GOAL: 8%. A State Project on US 97, MP 154.20 to MP 155.20.** Requires: Roadway and ditch excavation, embankment compaction, aeration, drainage, crushed surfacing base course, asphalt for fog seal, planing bituminous pavement, erosion control, seeding, fertilizing, mulching, compost, raising guardrail, flexible guideposts, pavement markings, plastic spatter line, centerline rumble strip, recessed pavement marking, permanent signing, traffic control and other work. 40 working days. Involves 49 items. 9235 CY rdwy excav incl haul, 7511 CY embank comp, 10624 SY aeration, 142 EA ditch excav incl haul, 129 LF CL II reinf conc culv pipe, 5633 T crushed surface base course, 5187 SY plane bit pvmt, 5765 T HMA CL 1/2 IN PG 64-28, 6 ACRE soil binder or tacking agent, 2 ACRE med compost, 1379 LF raise exist beam guardrail, 17620 LF paint line, 2660 LF plastic splatter line, 10000 LF temp pvmt marking. Lump Sum Bids for: Perm signing, temp traffic control, SPCC plan. (XL-3220)(209703E)(10B015)(7957)(3 of 4)

EASTERN REGION

Sealed bids for the following projects will be received in person or by courier by the Department of Transportation, at the Eastern Regional Office, North 2714 Mayfair Street, Spokane, WA 99207, until 11:00 a.m., on the date shown below.

BID OPENING THURSDAY, JUNE 10, 2010

- *1. (LINCOLN, SPOKANE, PEND OREILLE, WHITMAN) **REGIONWIDE CRACK SEALING** (CL 4, \$750,000 –
*** \$1,000,000) F.A. No. NH-0002(297) on US 2, 195, SR 27, 270, 290, 291, 904. Requires: Pavement repair, surfacing, crack sealing, planing bituminous pavement, paving with HMA, pavement markings, traffic control and other work. 30 Working days. Involves 23 items. 2414 SY pvmt repair excav incl haul, 1470 T crushed surface base course, 1074795 LF crack sealing, 1075 T asph conc, 405 T HMA CL 1/2 IN PG 64-28, 10700 LF paint line, 4100 LF temp pvmt marking, 2440 SY const geotextile. Lump Sum Bids for: Temp traffic control, SPCC plan. (XL-3680)(600024A)(10Z010)(7956)(3 of 3)(1)

BID OPENING THURSDAY, JUNE 24, 2010

- *1. **PRE-BID CONFERENCE**
An optional pre-bid conference will be held for this project for the purpose of familiarizing the Bidders with the existing conditions of the inside of each structure to be removed on the project. The pre-bid conference will be held on Monday, June 14, 2010 at 9:00 am and will begin at the property at 301 S Freya. This will be the only opportunity bidders will have to view the inside of structures that will be removed on the project prior to the bid opening on June 24, 2010. All power to the structures has been cut. It is recommended that Bidders supply themselves with a flashlight.

(SPOKANE) **2010 ER DEMOLITION NO. 1** (CL 13, \$400,000 - \$500,000) A State Project in the City of Spokane. Requires: Abatement of asbestos materials, removal and disposal of buildings and contents, removal of fence and other work. 55 Working days. Involves 9 items. 7900 SY remove asph conc pvmt, 3 ACRE seed, fert, mulch, 1100 LF chain link fence. Lump Sum Bids for: Removal of struct & obstruction, removal and disposal of asbestos materials. (RW-4662)(-)(10Z009)(-)(2 of 3)

BID OPENING THURSDAY, JULY 8, 2010

1. **“THIS PROJECT IS FUNDED IN WHOLE OR IN PART BY FUNDS MADE AVAILABLE THROUGH THE AMERICAN RECOVERY AND REINVESTMENT ACT”**

(SPOKANE) **NSC – FREYA ST TO FARWELL RD – SB ADDITIONAL LANES REBID** (CL 5 or 6, Under \$30,000,000) **CONTAINS CONDITION OF AWARD DBE GOAL: 8%.** F.A. No. TIGER-0395(091) on US 395, MP 162.09 to MP 165.72. **CONTAINS APPRENTICE UTILIZATION REQ: 15%.** Requires: Earthwork, drainage, surfacing, paving with HMA and PCCP, constructing six prestressed concrete girder bridges, one Contractor designed pedestrian bridge, geosynthetic retaining walls, illumination, four monotube sign bridges, one variable message sign, closed circuit TV, erosion control, traffic control and other work. 310 Working days. Involves 180 items. 212210 CY rdwy excav incl haul, 3480 CY gravel borrow incl haul, 185880 CY embank comp, 81 EA grate inlet, 732 CY quarry spalls, 11035 LF test storm sewer pipe, 11035 LF sch A storm sewer pipe, 14644 CY struct excav CL A incl haul, 3130 CY gravel backfill, 604700 LB st rebar, 4739 CY conc CL 4000, 5979 LF prestressed conc girder, 1090 SY permeon treatment, 1966 LF bridge rail, 362 LF rail base, 2428 LF traffic barrier, 10717 SF conc fascia panel, 2838 SY bridge approach slab, 43560 T crushed surface base course, 43100 CY cement conc pvmt, 42000 EA corrosion resist dowel bar, 18840 T HMA CL ½ IN PG 64-28, 740 T commercial HMA, 1090 SY temp erosion control blanket, 10400 LF silt fence, 171 ACRE seed, mulch, 29929 CY topsoil, 123 ACRE restore exist slope, 1355 LF wide mountable cement conc traffic curb, 6013 LF extruded curb, 6759 LF beam guardrail, 17 EA beam guardrail non-flared term, 1100 LF precast conc barrier, 1500 LF temp conc barrier, 3150 LF remove, reset precast conc barrier, 83580 LF paint line, 53850 LF grooved plastic line, 3710 LF painted wide lane line, 1890 LF grooved plastic wide lane line, 6349 LF conduit pipe, 950 HR safety watcher, 8335 CY struct excav CL B incl

haul, 27301 SF shoring or extra excav CL B, 1920 SY conc slope protect, 2320 LF remove , reset wire fence, 5370 LF remove, reset chain link fence, 1800 HR training, 1434 SY const geotextile, 11005 SF geosynthetic retaining wall, 6230 CY gravel borrow. CONTAINS MINIMUM BID ITEM: TYPE B PROGRESS SCH. Lump Sum Bids for: Shoring or extra excav CL A, prefab pedestrian bridge, perm signing, sign bridges, perm variable mess sign, sign lighting sys, illum sys, comm conduit sys, comm cables and interfaces, CCTV sys, traffic signal sys removal, HAR sign relocate, TDA sys, temp traffic control, pedestrian control and protect, cure box, struct survey, roundabout landscaping, SPCC plan. **SUPERSTRUCTURES INCLUDE:** 366100 LB epoxy-coated st rebar, 41700 LB st rebar, 1301 CY conc CL 4000D, 427 CY conc CL 4000, 76 EA elastomeric bearing pad, 148 EA transverse elastomeric girder stop pad, 430 LB bridge supported utility insert. (XL-3221)
(600001A)(10Z020)(7967)(1 of 4)

Paula J. Hammond, P.E.

Secretary of Transportation

* Previously Advertised

** Extended

*** Revised